



Nathan Deal
Governor

GEORGIA ENVIRONMENTAL FINANCE AUTHORITY

Kevin Clark
Executive Director

GEORGIA WEATHERIZATION PROGRAM NOTICE 15-03 EFFECTIVE DATE: June 11, 2015

SUBJECT: GEORGIA WEATHERIZATION ASSISTANCE PROGRAM STANDARD WORK SPECIFICATION SINGLE FAMILY FIELD GUIDE UPDATE

PURPOSE: To provide the Georgia WAP network an update for Standard Work Specification 7.8103.1c.

SCOPE: The provisions of this guidance apply to all sub-grantees awarded a weatherization assistance grant by GEFA under the Department of Energy (DOE) Weatherization Assistance Program.

PROCEDURES:

1. The Georgia Weatherization Assistance Program Standard Work Specifications Field Guide for Single-Family Homes has the following change(s):

Current:

Standard Work Specification 7.8103.1c - Thermal efficiency (Page 516 of 519, Baseload > Water Heating > Maintenance/Inspection), **Specification(s): Water heater storage tanks shall have a minimum R-value of R-24, unless the SIR to add insulation is less than 1.0**

Changed to:

Georgia Weatherization Assistance Program Standard Work Specifications Field Guide for Single-Family Homes: Standard Work Specification 7.8103.1c - Thermal efficiency (Page 516 of 519, Baseload > Water Heating > Maintenance/Inspection), **Specification(s): Water heater storage tanks must be insulated to R-5 or better unless Manufacturer prohibits adding external insulation**

2. The change in the aforementioned SWS dictates a change to the Priority Lists.

From:

The Georgia Weatherization Assistance Program Standard Work Specifications Field Guide for Single-Family Homes (Page 5 of 519, Required Measures, General Waste Heat, A. Water Heater, 1. **Water heater storage tanks must be insulated to R-24 or better**

Changed to:

The Georgia Weatherization Assistance Program Standard Work Specifications Field Guide for Single-Family Homes (Page 5 of 519, Required Measures, General Waste Heat, A. Water Heater, 1. **Water**

heater storage tanks must be insulated to R-5 or better unless Manufacturer prohibits adding external insulation

***This change is effective immediately. A copy of this Georgia WX Program Notice 15-03 must be maintained in the Single-Family Field Guide until a replacement pages become available.**

Sign for acknowledgement of receipt & understanding

_____ (Weatherization Sub-grantee), certify that we have read and understand the Guidance contained in this notice.

Signature below indicates receipt of this guidance and immediate implementation.

Executive Director: _____

Date: _____

Return to Jeffrey Frye by June 24, 2015